## **Msbte News**

## Msbte D pharmacy Mcq on Hospital and Clinical Pharmacy pdf

- 1) Give the normal values of Blood Cholesterol
- A. 110-200 mg/dL or mg %
- B. 150-240 mg/dL or mg % **Answer**
- C. 240-360 mg/dL or mg %
- D. 360-440 mg/dL or mg %
- 2) Give the normal values of Blood sugar
- A. 10 -100 millions/ml of seminal fluid
- B. 20 -110 millions/ml of seminal fluid
- C. 40 -130 millions/ml of seminal fluid
- D. 60 -150 millions/ml of seminal fluid Answer
- 3) The word signs in the prescription indicated
- A. List of ingredients
- B.The strength of medication
- C. Instruction to the patient **Answer**
- D. All of the above
- 4) For knowing the presence of infection disease which one of these blood examination is more significant
- A. ESR
- B. Cholesterol Answer
- C. Uric acid
- D. Haemoglobin
- 5) When structurally different drug give same clinical result it is called
- A. Therapeutic equivalence
- B. Clinical equivalence **Answer**
- C. Bioequivalence
- D. None of these
- 6) In the prescription blank the medication prescribed is called as
- A. Superscription
- B. Inscription **Answer**
- C. Subscription
- D. Signa

- 7) If I g of dextrose provide 34 cal, 1L of 5% solution of dextrose supplies A. 120 cals
  B. 17 cals
  C. 15 cals
- D. 170 cals **Answer**
- 8) The over bed trapeze bar is used for
- A. Hanging 1/v solution / drip
- B. Repositioning the patient while sleeping
- C. Safety rail on a hospital bed
- D. Sitting up and getting into and out of bed by the patient **Answer**
- 9) Which of the following tests for parenteral solution ensures that it is free from all microbes ?
- A. Pyrogen test
- B. Clarity test
- C. Leakage test
- D. Sterility test **Answer**
- 10) Ethanol should be avoided in patients taking antidiabetes because
- A. It has tendency to cause hyperglycemia
- B. Severe hypoglycemia may result **Answer**
- C. It produces dizziness
- D. Causes folic acid deficiency
- 11) In hypertensive emergency (200/ 140 mm of Hg) following steps are advocated
- A. Administration of sodium nitroprusside
- B. Immediate introduction of diuretics
- C. I/v bolus of diazoxide
- D. Either (a) or © Answer
- 12) Angina induced by exertion is referred to as
- A. Prinz metal angina
- B. variant angina
- C. Classic angina **Answer**
- D. Unstable angina
- 13) If a patient who has been stabilized on aspirin, starts taking phenylbutazone, free salicylate concentration will
- A. Increase **Answer**
- B. Decrease
- C. Remains unaffected
- D. None of the above
- 14) In which of the following routes of administration , bioavailability is 100 %
- A. Intramuscular

- B. Sublingual
- C. Intravenous **Answer**
- D. Both (b) and ©
- 15) Adverse drug reaction may results from
- A. Drug's active ingredient A
- B. additives in dosage forms
- C. Impurities in dosage forms
- D. All of these **Answer**
- 16) Lipid soluble drugs are better absorbed when
- A. Given with meal **Answer**
- B. Given 3 hrs after meal
- C. Given 1/2 hr before meal
- D. Both (b) and ©
- 17) A nursing mother should avoid
- A. Alcohol
- B. Smoking
- C. Barbiturate
- D. All of these **Answer**
- 18) stomy is a term used for
- A. Two solutions having same osmotic pressure
- B. A surgical procedure in which an artificial opening is create to allows passage of faeces or urine **Answer**
- C. Isotonic solutions
- D. Scale to measure osmotic pressure
- 19) Relative to oral temperature
- A. Rectal temperature is 10 higher **Answer**
- B. Rectal temperature is 10 lower
- C. Rectal temperature is same
- D. 20 lower
- 20) Auxiliary labels should be utilized for all of the following except
- A. To ensure proper usage
- B. To inform about storage requirements
- C. To warn about concomitant use of certain drugs or foods
- D. To substantiate for verbal consultation Answer
- 21)Hepatitis B virus is a
- A. RNA virus
- B. DNA virus **Answer**
- C. Defective RNA virus
- D. None of the above

- 22) Private Company Hospitals
- A. Fortis Hospital-Bangalore **Answer**
- B. Cooper hospital- Vile Parle, Mumbai
- C. Bhagwati hospital-Mumbai.
- D. Meenakshi Mission Hospital- Madurai.
- 23) Corrosive
- A. manganese
- B. insecticides
- C. Chopped hairs
- D. Sulphuric acid **Answer**
- 24) Volkman's spoon is used
- A. To remove poison from stomach
- B. To do gastric cleavage
- C. To suck gastric juices in different surgical case
- D. To collect fluid from cavity **Answer**
- 25) Belladonna plaster is used as
- A. Counter irritant in rheumatism and neuralgia Answer
- B. Splint for correction of fractures
- C. For giving light support to sprains
- D. All of the above
- 26) Which drug is useful in anaphylaxis?
- A. Epinephrine **Answer**
- B. Atropine
- C. Mepyramine
- D. None of the above
- 27) Allopurinol when administered with mercaptopurine, increase the action of mercaptopurine, by
- A. Inhibiting the enzyme- xanthine oxidase **Answer**
- B. Decreasing its absorption
- C. Displacing from protein binding site
- D. None of the above
- 28) Normal haematocrit value is
- A. 40-54% **Answer**
- B. 02-30%
- C. 60%
- D. 10%
- 29) The most abused opioid drug is
- A. Codeine

- B. Morphine
- C. Papaverine
- D. Heroine **Answer**
- 30) A drug that causes induction of microsomal enzymes
- A. Acetylcholine
- B. Phenobarbitone **Answer**
- C. Atenolol
- D. Digitalis

## For More Hospital and Clinical Pharmacy Mcq Test Papers Visit Msbte News