

0811 Pharmaceutics 2 Mcqs with Answers

1) Dusting powder should be pass through

A.Sieve number 120

B.Sieve number 22

C.Sieve number 80 **Answer**

D.Sieve number 44

2) Surgical dusting Powder must be sterilized by

A.Moist Heat sterilization

B.Gaseous sterilization

C.dry heat sterilization **Answer**

D.Both A and B

3) Which type of container is used for storage of injection

A.Lime soda glass

B.Neutral glass

C.Type I glass

D.Type I and II glass **Answer**

4) A suppository is generally intended for use in

A.Rectum

B.Vagina

C.Urethra

D.All the above **Answer**

5) Buffering agent is also called as

- A.Sweating agent
- B.Thickening agent
- C.Ph Modifiers **Answer**
- D.Wetting agent

6) Are commonly used preservative for ophthalmic products

- A.Suspending agent
- B.Thickening agent **Answer**
- C.Surfactant
- D.Emulsifying agent

7) Which instruction are required on the labels of the power for dusting powders

- A."For internal use only"
- B."For external use only" **Answer**
- C. 'Shake well before use"
- D. None of these

8) HLB value range for detergent is

- A 1-6
- B 3-6
- C 15-20
- D 13-15 **Answer**

9) poultices are also known as

- A.Catalysis
- B.Counter irritant
- C.Cataplasm
- D.Catalog **Answer**

10) Insuspension sediment is loosely packed and does not form a hard cake

A Flocculated

B.Non –flocculate **Answer**

C.Both a and b

D.None of these

11) The symbol Rx is appropriately related to

A.Prescription **Answer**

B.Inscription

C.Subscription

D.Main Ingredient

12) Electrical conductivity is in o/w emulsion

A.Low

B.High **Answer**

C.Fluctuates

D.Retards

13) Bougies is another name of

A.Rectal suppositories

B.Vaginal suppositories

C.Urethral suppositories **Answer**

D.Children's suppositories

14) Bulking agent used in the parental preparation is

A.Sodium metabisulphite

B.Benzyl alcohol

C.Carbolic acid

D.Sorbitol **Answer**

15) Signature is the direction given to

A.Prescriber

B.Pharmacist

C.Patient **Answer**

D.Manufacturer

16) O/W and W/O type of emulsion can be differentiated by – Miscibility test Staining test Dye test All of these Which fatty base is used in suppositories

A. Witepsol

B. Massupol

C. Cocoa butter

D. Soap glycerin base **Answer**

17) How many types of emulsions there

A.1

B.2

C.3 **Answer**

D.4

18) The particle size in suspension is

A. Less than 103 nm

B.102 nm **Answer**

C.Greater than 103

D.10 nm

19) Liquefaction is the example of Incompatibility

A.Delayed

B.Instantaneous

C.Both a and b

D.Immediate **Answer**

20) What is the physical state of a dispersed phase in a suspension

A.Solid **Answer**

B.Liquid

C.Both

D.None of them

21) Hypodermic injection is given in

A.Subcutaneous **Answer**

B.Deltoid muscle

C.Subarachnoid tissue

D.None of the above

22) Petrolatum is a type of

A.Absorption bases

B.Hydrocarbon base **Answer**

C.Water soluble bases

D.None of the above

23) Naturally occurring emulsion is

A.Egg yolk

B.Latex

C.Milk **Answer**

D.Sugar lotion

24) In O/W type of emulsion scarlet red will impart colour to

A.Oil globules **Answer**

B.Aqueous phase

C.Complete emulsion

D.None of the above

25) Abrasive agent used in dentifrices are

- A. Calcium sulphate
- B. Magnesium carbonate
- C. Sodium carbonate
- D. All of the above **Answer**

26) Simple powder contains

- A. Simple A P I **Answer**
- B. More than one A P I
- C. Two APIs
- D. None

27) Titanium dioxide commonly used in

- A. Vanishing cream
- B. Sunscreen Cream **Answer**
- C. Ophthalmic Cream
- D. Aqueous calamine cream

28) The dilution of concentrated mouthwashes are in the ratio of

- A 1 5 **Answer**
- B 1 2
- C 1 1
- D 5 1

29) Vanishing creams are called so because

- A. They disappear during formulation mix
- B. They vanish during removal from skin surface
- C. They disappear after rubbing application **Answer**
- D. None of the above

30) The purpose of conditioning agent on shampoo is

- A.To bring moisture to nail
- B.To bring moisture to hair **Answer**
- C.To bring moisture to skin
- D.To bring greasiness to hair

31) powders consist of more than one ingredient

- A.Simple powders
- B.Compound powders **Answer**
- C.Both
- D.None of the above

32) The major constituent in the after-shave lotion is

- A.Emollient
- B.Antiseptics
- C.Alcohol **Answer**
- D.Perfumes

33) Emulsion is a

- A.Monophasic dosages form
- B.Biphasic dosages form **Answer**
- C.Triphasic dosages form
- D.None of the above

State Whether the following Statements are True or False

34) Pessaries are solid dosage form meant for insertion into the vagina

- (a) True
- (b) False **Answer**

35) Elixirs are transparent or translucent non-greasy, semisolid preparation for external application to the skin or mucous membrane.

- (a) True
- (b) False **Answer**

Elixirs are clear, sweetened, aromatic, hydroalcoholic liquids prepared for oral use.

**For More Msbte D-pharmacy Mcq
Test paper visit [Msbtenews.com](https://msbtenews.com)**